



Uniting with
Wyoming Weed and Pest Control Districts
Wyoming Department of Agriculture
University of Wyoming

Weed and Pest Declared List (By County)

Amended February 2017



Defined by Wyoming Statutes:

W.S. 11-5-102(a)(vii) "Declared pest" means any animal or insect which the board and the Wyoming weed and pest council have found, either by virtue of its direct effect, or as a carrier of disease or parasites, to be detrimental to the general welfare of persons residing within a district;"

W.S. 11-5-102(a)(viii) "Declared weed" means any plant which the board and the Wyoming weed and pest council have found, either by virtue of its direct effect, or as a carrier of disease or parasites, to be detrimental to the general welfare of persons residing within a district;"

W.S. 11-5-105(a)(vi) "Participate in programs for the control of declared weeds and declared pests not included on the designated list. Such programs do not qualify for cost-sharing from the department."

Procedures Defined by Wyoming Rules and Regulations:

Chapter 42. Board of Agriculture – Weed and Pest Rules and Regulations

Section 4. Declared Pest and Declared Weed Program Participation Under W.S. 11-5-105(b)(vi).

Albany County

Plains larkspur/Geyer larkspur	<i>Delphinium geyeri</i> Greene
Locoweed	<i>Oxytropis</i> spp.
Mosquito	<i>Culicidae</i> spp.
Cheatgrass / downy brome	<i>Bromus tectorum</i> L.

Big Horn County

Baby's breath	<i>Gypsophila paniculata</i> L.
Common crupina	<i>Crupina vulgaris</i> Cass.
(Woolly) Distaff thistle	<i>Carthamus lanatus</i> L.
Goatsrue	<i>Galega officinalis</i> L.
Gorse	<i>Ulex europaeus</i> L.
Iberian starthistle	<i>Centaurea iberica</i> Trev. ex Spreng.
Italian thistle	<i>Carduus pycnocephalus</i> L.
Japanese knotweed	<i>Fallopia japonica</i>
Meadow knapweed	<i>Centaurea pratensis</i> Thuill.
Medusahead	<i>Taeniatherum caput-medusae</i> (L.) Nevski
Orange hawkweed	<i>Hieracium aurantiacum</i> L.
Poison hemlock	<i>Conium maculatum</i> L.
Puncturevine	<i>Tribulus terrestris</i> L.
Purple starthistle	<i>Centaurea calcitrapa</i> L.
Redstem filaree	<i>Erodium cicutarium</i> (L.) L'Her. ex Ait.
Rush skeletonweed	<i>Chondrilla juncea</i> L.
Scentless chamomile	<i>Matricaria perforata</i> Merat.
Scotch broom	<i>Cytisus scoparius</i> (L.) Link
Squarrose knapweed	<i>Centaurea virgata</i> Lam. ssp. <i>squarrosa</i> (Willd.) Gugler
Swainsonpea	<i>Sphaerophysa salsula</i> (Pallas) DC.
Sulfur cinquefoil	<i>Potentilla recta</i> L.
Syrian beancaper	<i>Zygophyllum fabago</i> L.
Tansy ragwort	<i>Senecio jacobaea</i> L.
Teasel	<i>Dipsacus fullonum</i> L.
Yellow hawkweed	<i>Hieracium fendleri</i> Sch. Bip.
Yellow starthistle	<i>Centaurea solstitialis</i> L.
Venice mallow	<i>Hibiscus trionum</i> L.
Field dodder	<i>Cuscuta pentagona</i> Engelm.
Viper's bugloss	<i>Echium vulgare</i> L.

Campbell County

Common Cocklebur	<i>Xanthium strumarium</i> L.
Buffalobur	<i>Solanum rostratum</i> Dunal
Jointed goatgrass	<i>Aegilops cylindrica</i> Host.
Mosquito	<i>Culex tarsalis</i>
Poison hemlock	<i>Conium maculatum</i>

Carbon County

Common cocklebur	<i>Xanthium strumarium</i> L.
Halogenet	<i>Halogenet glomeratus</i> (M. Bieb.) C.A. Mey.
Mosquito	<i>Culicidae</i> spp.
Plains pricklypear	<i>Opuntia polyacantha</i> Haw.
Plains larkspur/Geyer larkspur	<i>Delphinium geyeri</i> Green
Wyeth lupine	<i>Lupinus wyethii</i> S. Watson.

Converse County

Alfalfa weevil	<i>Hypera postica</i> Gyllenhal
Bull thistle	<i>Cirsium vulgare</i> (Savi) Ten.
Chicory	<i>Cichorium intybus</i> L.
Common crupina	<i>Crupina vulgaris</i> Cass.
Common mullein	<i>Verbascum thapsus</i> L.
Dames rocket	<i>Hesperis matronalis</i> L.
Goatsrue	<i>Galega officinalis</i> L.
Gorse	<i>Ulex europaeus</i> L.
Halogenet	<i>Halogenet glomeratus</i> (M. Bieb.) C.A. Mey.
Mosquito	<i>Culicidae</i> spp..
Iberian starthistle	<i>Centaurea iberica</i> Trev. ex Spreng.
Italian thistle	<i>Carduus pycnocephalus</i> L.
Jointed goatgrass	<i>Aegilops cylindrica</i> Host.
Meadow knapweed	<i>Centaurea pratensis</i> Thuill.
Medusahead	<i>Taeniatherum caput-medusae</i> (L.) Nevski
Orange hawkweed	<i>Hieracium aurantiacum</i> L.
Plains larkspur/Geyer larkspur	<i>Delphinium geyeri</i> Greene
Purple starthistle	<i>Centaurea calcitrapa</i> L.
Rush skeletonweed	<i>Chondrilla juncea</i> L.
Sandbur	<i>Cenchrus incertus</i> Curtis
Scentless chamomile	<i>Matricaria perforata</i> Merat.
Scotch broom	<i>Cytisus scoparius</i> (L.) Link
Squarrose knapweed	<i>Centaurea virgata</i> Lam. ssp. <i>squarrosa</i> (Willd.) Gugler
Sulfur cinquefoil	<i>Potentilla recta</i> L.
Syrian beancaper	<i>Zygophyllum fabago</i> L.
Tansy ragwort	<i>Senecio jacobaea</i> L.
Teasel	<i>Dipsacus fullonum</i> L.
Wild licorice	<i>Glycrrhiza lepidota</i> Pursh
Yellow hawkweed	<i>Hieracium fendleri</i> Sch. Bip..
Absinth wormwood	<i>Artemisia absinthium</i> L.
Baby's breath	<i>Gypsophila paniculata</i> L.
Musk mustard	<i>Chorispora tenella</i> (Pallas) DC.
Buffalobur	<i>Solanum rostratum</i> Dunal
Bur buttercup	<i>Ceratocephala testiculata</i> (Crantz) Roth
Common cocklebur	<i>Xanthium strumarium</i> L.
Common sunflower	<i>Helianthus annuus</i> L.
Curly dock	<i>Rumex crispus</i> L.
Curlycup gumweed	<i>Grindelia squarrosa</i> (Pursh) Dunal
Cheatgrass / downy brome	<i>Bromus tectorum</i> L.
Poison hemlock	<i>Conium maculatum</i> L.
Puncturevine	<i>Tribulus terrestris</i> L.
Redstem filaree	<i>Erodium cicutarium</i> (L.) L'Her. ex Ait
Wavyleaf thistle	<i>Cirsium undulatum</i> (Nutt.) Spreng.
Western sticktight	<i>Lappula occidentalis</i> (S. Wats.) Greene

Crook County

Bull thistle	<i>Cirsium vulgare</i> (Savi) Ten.
Great plains yucca	<i>Yucca glauca</i> Nutt.
Wild licorice	<i>Glycrrhiza lepidota</i> Pursh
Common mullein	<i>Verbascum thapsus</i> L.
Plains pocket gopher	<i>Geomys bursarius</i> (Shaw)
Sulphur cinquefoil	<i>Potentilla recta</i> L.



Uniting with
Wyoming Weed and Pest Control Districts
Wyoming Department of Agriculture
University of Wyoming



Weed and Pest Declared List (By County) Amended February 2017

Fremont County

Baby's Breath	<i>Gypsophila paniculata</i>
Cheatgrass / downy brome	<i>Bromus tectorum L.</i>
Mosquito	<i>Culex tarsalis</i>
Oystershell Scale	<i>Lepidosaphes ulmi</i>
Puncturevine	<i>Tribulus terrestris L.</i>
Swainspea	<i>Sphaerophysa salsula</i> (Pallas) DC.
Sulphur cinquefoil	<i>Potentilla recta L.</i>

Goshen County

Mosquito	Culicidae spp.
Puncturevine	<i>Tribulus terrestris L.</i>
Wild licorice	<i>Glycyrrhiza lepidota</i> Pursh

Hot Springs County

Bull thistle	<i>Cirsium vulgare</i> (Savi) Ten.
Cheatgrass / downy brome	<i>Bromus tectorum L.</i>
Curlycup gumweed	<i>Grindelia squarrosa</i> (Pursh) Dunal
Mosquito	Culicidae spp.
Puncturevine	<i>Tribulus terrestris L.</i>
Wild oat	<i>Avena fatua L.</i>

Johnson County

Buffalobur	<i>Solanum rostratum</i> Dunal
Common cocklebur	<i>Xanthium strumarium L.</i>
Common mullein	<i>Verbascum thapsus L.</i>
Curly dock	<i>Rumex crispus L.</i>
Curlycup gumweed	<i>Grindelia squarrosa</i> (Pursh) Dunal
Mosquito	Culicidae spp.
Tall mountain larkspur	<i>Delphinium occidentale</i> (S. Wats.) S. Wats.
Wild licorice	<i>Glycyrrhiza lepidota</i> Pursh
Varroa mites	<i>Varroa destructor</i>
Puncturevine	<i>Tribulus terrestris L.</i>
Rocky Mountain Bee Plant	<i>Cleome serrulata</i>
Moth Mullein	<i>Verbascum blattaria</i>
Orange hawkweed	<i>Hieracium aurantiacum L.</i>

Laramie County

Jointed goat grass	<i>Aegilops cylindrica</i> Host.
Puncturevine	<i>Tribulus terrestris L.</i>
Sandbur	<i>Cenchrus incertus</i> Curtis
Wild licorice	<i>Glycyrrhiza lepidota</i> Pursh
Hairy goldenaster	<i>Heterotheca villosa</i> (Pursh) Shinners
Common mullein	<i>Verbascum thapsus L.</i>
Viper's bugloss	<i>Echium vulgare L.</i>
Locoweed	<i>Oxytropis</i> spp.
Plains pricklypear	<i>Opuntia polyacantha</i> Haw.
Plains larkspur/Geyer larkspur	<i>Delphinium geyeri</i> Greene
Plains pocket gopher	<i>Geomys bursarius</i> (Shaw)

Lincoln County

Alfalfa weevil	<i>Hypera postica</i> Gyllenhal
Common mullein	<i>Verbascum thapsus L.</i>
Mosquito	Culicidae spp.
Wild oat	<i>Avena fatua L.</i>
Plains pocket gopher	<i>Geomys bursarius</i> (Shaw)
Poison hemlock	<i>Conium maculatum L.</i>
Bull thistle	<i>Cirsium vulgare</i> (Savi) Ten.
Poplar borer	<i>Saperda calcarata</i>
Western water hemlock	<i>Cicuta douglasii</i> (DC.) J.M. Coulter & Rose

Natrona County

Buffalobur	<i>Solanum rostratum</i> Dunal
Bulbos Bluegrass	<i>Poa bulbosa</i> L.
Curlycup gumweed	<i>Grindelia squarrosa</i> (Pursh) Dunal
Curly dock	<i>Rumex crispus L.</i>
Dames rocket	<i>Hesperis matronalis</i> L.
Foxtail barley	<i>Hordeum jubatum</i> L.
Halogenon	<i>Halogenon glomeratus</i> (M. Bieb.) C.A. Mey.
Mosquito	Culicidae spp.
Puncturevine	<i>Tribulus terrestris</i> L.
Showy milkweed	<i>Asclepias speciosa</i> Torr.
Wild licorice	<i>Glycyrrhiza lepidota</i> Pursh
Cheatgrass / downy brome	<i>Bromus tectorum L.</i>
Yellow starthistle	<i>Centaurea solstitialis</i>
Western Salsify	<i>Tragopogon dubius</i> Scop.
Cutleaf Viper Grass	<i>Scorzonera laciniata</i> L.

Niobrara County

Buffalobur	<i>Solanum rostratum</i> Dunal
Showy milkweed	<i>Asclepias speciosa</i> Torr.
Wild licorice	<i>Glycyrrhiza lepidota</i> Pursh
Douglas fir tufted moth	<i>Orgyia pseudotsugata</i> (McDunnough),
Sulphur cinquefoil	<i>Potentilla recta</i> L.

Park County

Baby's Breath	<i>Gypsophila paniculata</i>
Bull thistle	<i>Cirsium vulgare</i> (Savi) Ten.
Common mullein	<i>Verbascum thapsus L.</i>
Emerald Ash Borer	<i>Agrius planipennis</i>
Flixweed	<i>Descurainia sophia</i> (L.) Webb ex Prantl
Hoary Alyssum	<i>Berteroa incana</i>
Redstem filaree	<i>Erodium cicutarium</i> (L.) L'Her. Ex Ait.
Showy milkweed	<i>Asclepias speciosa</i> Torr.
Chicory	<i>Cichorium intybus</i> L.
Lanceleaf sage	<i>Salvia reflexa</i> Hornem.
White Campion	<i>Silene latifolia</i>
Wild four o'clock	<i>Mirabilis nyctaginea</i>
Blue Mustard	<i>Chorispora tenella</i>
Dames rocket	<i>Hesperis matronalis</i> L.

Platte County

Chicory	<i>Cichorium intybus</i> L.
Cheatgrass / downy brome	<i>Bromus tectorum L.</i>
Mosquito	Culicidae spp.
Pocket Gophers	<i>Geomys</i> and <i>Thomomys</i> spp.
Puncturevine	<i>Tribulus terrestris</i> L.
Jointed goatgrass	<i>Aegilops cylindrica</i> Host

Sheridan County

Curly dock	<i>Rumex crispus</i> L.
Mosquito	Culicidae spp.
Plains pocket gopher	<i>Geomys bursarius</i> (Shaw)
Poison hemlock	<i>Conium maculatum</i>
Puncturevine	<i>Tribulus terrestris</i> L.
Wild licorice	<i>Glycyrrhiza lepidota</i> Pursh
Buffalobur	<i>Solanum rostratum</i> Dunal
Common Lambsquarter	<i>Chenopodium album</i> L.
Common cocklebur	<i>Xanthium strumarium</i> L.
Common mullein	<i>Verbascum thapsus</i> L.
Alfalfa weevil	<i>Hypera postica</i> Gyllenhal
Western waterhemlock	<i>Cicuta douglasii</i>
Sulphur cinquefoil	<i>Potentilla recta</i> L.
Medusahead rye	<i>Taeniatherum caput-medusae</i>
Venetenata	<i>Venetenata dubia</i>



Uniting with
Wyoming Weed and Pest Control Districts
Wyoming Department of Agriculture
University of Wyoming



Weed and Pest Declared List (By County) Amended February 2017

Sublette County

Austrian fieldcress
Cheatgrass / downy brome
Field scabious
Hoary alyssum
Scentless chamomile
Western water hemlock

Rorippa austriaca (Crantz) Bess.
Bromus tectorum L.
Knautia arvensis (L.) Coult.
Berteroa incana (L.) DC.
Matricaria perforata Merat.
Cicuta douglasii (DC.) J.M. Coul. & Rose

Sweetwater County

Army cutworm
Black fly
Common Raven
Common Reed
Foxtail barley
Lady's bedstraw
Mosquito
Mountain thermopsis
Northern pocket gopher
Poplar budgall mite
Wild licorice
Curlycup gumweed
Showy milkweed
Curly dock
Bull thistle

Euxos auxillarius
Simulium vittatum Zetterstedt
Corvus corax
Phragmites australis
Hordeum jubatum L.
Galium verum L.
Culicidae spp.
Thermopsis montana Nutt.
Thomomys talpoides
Eriophes parapopuli Keifer
Glycyrrhiza lepidota Pursh
***Grindelia squarrosa* (Pursh) Dunal**
***Asclepias speciosa* Torr.**
Rumex crispus L.
***Cirsium vulgare* (Savi) Ten.**

Teton County

Absinth wormwood
Austrian fieldcress
Baby's Breath
Bull thistle
Cheatgrass / downy brome
Common mullein
Curly-leaf pondweed
Cypress spurge
Dames rocket
Eurasian watermilfoil
Field scabious
Hoary alyssum
Meadow knapweed
Mosquito
Myrtle spurge
Orange hawkweed
Poison hemlock
Rush skeltonweed
Scentless chamomile
Squarrose knapweed

Sulfur cinquefoil
Tall buttercup
Teasel
Yellow hawkweed
Yellow starthistle
Yellow flag iris
Water hyacinth

Artemisia absinthium L.
Rorippa austriaca (Crantz) Bess.
Gypsophila paniculata
Cirsium vulgare (Savi) Ten.
Bromus tectorum L.
Verbascum thapsus L.
Potamogeton crispus
Euphorbia cyprissias L.
Hesperis matronalis L.
Myriophyllum spicatum
Knautia arvensis (L.) Coult.
Berteroa incana (L.) DC.
***Centaurea pratensis* Thuill.**
Culicidae spp.
Euphorbia myrsinifolia L.
Hieracium aurantiacum L.
Conium maculatum
Chondrilla juncea L.
Matricaria perforata Merat.
Centaurea virgata* Lam. ssp. *squarrosa
(Willd.) Gugler
Potentilla recta L.
Ranunculus acris L.
Dipsacus fullonum L.
***Hieracium fendleri* Sch. Bip.**
***Centaurea solstitialis* L.**
Iris pseudacorus
***Eichhornia crassipes* (Mart.) Solms.**
Laubach

Uinta County

Golden pea
Mosquito
Yellow starthistle
Viper's bugloss
Sheep keds
Sulphur cinquefoil

Thermopsis rhombifolia
Culicidae spp.
***Centaurea solstitialis* L.**
Echium vulgare L.
Melophagus ovinus
Potentilla recta L.

Washakie County

Absinth wormwood
Cheatgrass / downy brome
Common crupina
Common mullein
(Woolly) Distaff thistle
Iberian starthistle
Italian thistle
Meadow knapweed
Medusahead

Mosquito
Orange hawkweed
Puncturevine
Purple starthistle
Rush skeltonweed
Sandbur
Scentless chamomile
Scotch broom
Squarrose knapweed
Sulfur cinquefoil
Swainsonpea
Tansy ragwort
Tall Mountain Larkspur
Teasel
Venice mallow
Wild licorice
Yellow hawkweed
Yellow starthistle

Weston County

Wild licorice
Puncturevine
Sulfur cinquefoil
Broom snakeweed

Cheatgrass / downy brome
Musk mustard
Black medic
Common purslane
Curly dock

Glycyrrhiza lepidota Pursh
Tribulus terrestris L.
Potentilla recta L.
Gutierrezia sarothrae (Pursh) Britton & Rusby
Bromus tectorum L.
Chorispora tenella (Pallas) DC.
Medicago lupulina L.
Portulaca oleracea L.
Rumex crispus L.